B50A Series Notebook PC

A Revolutionary Notebook for Virtual Office!

2008/May

Processor & Cache

- I Intel Centrino 2 Processor T9400/P9500 with 6MB On-Die L2 Cache. FSB=1066Mz
- I Intel Centrino 2 Processor P8600/P8400/P7350 with 3MB On-Die L2 Cache. FSB=1066Mz
- I Intel Centrino 2 Processor T5850/T5750 with 2MB On-Die L2 Cache. FSB=667Mz
- * Intel's numbering is not a measurement of higher performance.

NOTE: Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.

Operating System

Preinstalled

Genuine Windows® Vista $^{\text{\tiny TM}}$

- Genuine Home Basic
- Genuine Home Premium Genuine Business
- Genuine Ultimate

Chipset

n Intel GM45 1066MHz FSB + ICH9M

BIOS

AMI Legacy BIOS code

LPC (ITE 8752 SPI bus) 8MB Flash EPROM

PMU, Plug & Play.

Boot from USB, LAN, Ai-Flash3, Ai-Flash4, Ai-Flash5

Main Memory

Standard 1024-MB or 2048-MB 800MHz DDRII SDRAM; 2 x SODIMM slots supporting dual channel memory

Maximum Upgradeable to 4096-MB maximum* (2048-MB SODIMM in slots 1 and 2)

Dual-Channel DDR2 800 DRAM support

NOTE: Vista 32bit standard of memory modules at least 512-MB (and above). If you mix memory speeds, the system will perform at the low memory speed.

Display

Internal 15.4-inch WXGA+ (1440x900 resolution and 16 M colors)

15.4-inch WXGA (1280 x 800 resolution and 16 M colors)

External Up to 32-bit per pixel color depth

VGA port supports resolutions up to 2048 x 1536 at 75 Hz, and lower resolutions at up to 100 Hz

NOTE: Resolutions are dependent upon monitor capability, and resolution and color depth settings.

Graphics & Video Module

n Intel GMA X4500HD (GM45):

Display

WXGA 1280x800 256/64K/16.7M colors

WXGA+ 1440x900 256/64K/16.7M colors

WSXGA+ 1680x1050 256/64K/16.7M colors



O THE ADMINISTRA

Rev 1.0

Multi-Card Reader

8 in 1, Supports SD (Secure Digital), MMC (MultiMedia Card), Memory Stick, Memory Stick Pro, Memory Stick Duo*, Smart Media, xD-Pictur card

*NOTE: Memory Stick Duo Adapters are required and sold separately. Inserting a Memory Stick Duo

Card directly into your notebook could damage the memory card and/or notebook.

Hard Disk Drive

320-GB 5400 rpm SMART SATA

250-GB 5400 rpm SMART SATA

160-GB 5400 rpm SMART SATA

NOTE: These hard drives are customer removable and will withstand multiple insertion/removal cycles.

Up to 8 GB is reserved for the system recovery software.

Expansion Card Slots

Express Card slot

Express Card/34 or ExpressCard/54

Camera

Fixed Camera, 1.3M (optional)

Keyboard

Desktop-Like Ergonomic Full-Size 87/88key, 3mm Travel

with Win Function Key

Spill proof

Add Vista K/B Start Button

Optical Storage Device

5.25" 12.7mm

DVD-Super Multi DL

Network Connectivity

Intel® Wireless WiFi Link 5100 AGN (BTO Optional)

Bluetooth module v2.1+EDR (BTO option)

Build in SIM card slot.

56K S/W modem (MDC type)

Video-conferencing I/F Compliance, V.92 support

Worldwide regulation, FCC/JATE/CTR21/DGT compliance

Azalia Compliant MDM

On board 10/100/1000 Mbps Fast Ethernet controller

Support Wake-On-LAN on S4 AC-In Mode only

Interface

1x VGA port/Mini D-sub 15-pin for external monitor

4x USB 2.0 ports (Support 1A)

2 Audio jack : Head phone (SPIDIF) / Mic-in

1x LAN RJ-45 and 1x Phone RJ-11 jack



1x 1394 Type jack

1x Infrared Ports Support IrDa (4Mbps)

1 x HDMI

1 x eSATA

1 x Docking Port (Hot Swap)

1 x Express Card

LED Status Indicator

Power On/Suspend, Battery Full /Charging/Low, Bluetooth, WLAN enabling,

Caps Lock, Number Lock, E-Mail

Audio

Built-in Azalia compliant audio chip, with 3D effect & full duplex

Build-in stereo speakers (2W) and microphone.

Support Audio Jack Detect for Vista Basic Logo

Support Audio CODEC criteria for Vista Premium Logo

Power Management

Full feature SMI power management, Stand-by, Suspend to Disk, and Suspend to RAM

ACPI 1.0 and 2.0 (partially) and 3.0 (partially) supported MDP 2003 compatible

Battery

Li-Ion 77WHrs, (8 cells: 5200mAh, 4S2P)

Battery Life

Built-in gauge IC

Charging time: 2 hrs Quick charge 90% (Power off) / 4hrs (Power on)

Battery low-low enters Save-To-Disk mode. (This setting can be changed by the customers themselves)

NOTE: Battery life will vary depending on the product configuration, product model, applications loaded on the product, power management settings of the product, and the product features used by the customer.

As with all batteries, the maximum capacity of this battery will decrease with time and usage.

Power Supply

External 65-watt AC adapter Output: 19V DC, 3.42A, 65W

Input: 100~240V AC, 50/60Hz universal

2/3 pin power supply system

Hot Keys

Power button

Instant Launch Keys

Power4 Gear +, Touch pad Lock, WLAN on/off, Splendid, ExpressGate, Keyboard Lighting LED

Function Keys

Fn+F1	Suspend Switch	Fn+F2	Wireless/Bluetooth switch	Fn+F3	E-mail
Fn+F4	Internet	Fn+F5	Brightness down	Fn+F6	Brightness up
Fn+F7	LCD on/off	Fn+F8	LCD/External Display switch	Fn+F9	Touch Pad lock
			display		



MKT Spec | Issue:22 May | ASUS B50A

Page	4 /	6
------	-----	---

Fn+F10	Volume on/mute	Fn+F11	Volume down	Fn+F12	Volume up
Fn+C	Splendid	Fn+T	Power 4 phone	Fn+Space	Power 4 Gear+
Fn+V	Camera	Fn+Ins	Numeric Key Pad on/off	Fn+ ↑	Stop
Fn+ ←	Previous section / Previous	Fn+ →	Next section / Next Track	Fn+ ↓	Play/Pause
	Track				

Pointing Device

Built-in Wide 16:9 Touchpad

2 click buttons

Support Pad-Lock Function (Hotkey & Fn+F9 on/off)

Heat Dissipation

ADTD (Developed by Asus) to handle 35W CPU thermal envelope

High-exchange efficiency copper molding heat sink with heat-pipes

Temperature-Controlled multi rotating speed cooling fan to prevent noise with "Flux Tunnel Routing"

Dimensions (WxDxH) 363 x

363 x 263 x 25-35.7 mm

Weight

3.0 Kg with 8-cell battery

NOTE: Height varies depending upon where on the notebook the measurement is made. Weight varies by configuration and components.

Security

Trusted Platform Module solution - Intel Built in TPM or TPM 1.2 (Optional) - Integrated by BIOS and SW UI w/ Security Function

AuthenTec FingerPrint Built-In (optional)

Built-In ASUS Security Protect Manager for finger print option, ADSM for W/O finger print option

Pre-OS Authentication by programmable key code

BIOS Booting User Password Protection

HDD User Password Protection and Security Lock

Kensington Lock hole provided

Docking (optional)

Feature:

- 1. USB 2.0 x 5
- 2. VGA x 1
- 3. Gigalan x 1
- 4. DVI-D x 1
- 5. Printer Port x 1
- 6. Com Port x 1
- 7. PS2 x1
- 8. DC Jack in (120W)

USB Accessory (optional)

Ai-Flash 4/ Ai-Flash5

USB mouse (Logitech BJ79)

USB data transfer cable support networking and USB 2.0

USB-COM cable

USB 2.0 HDD module

Bluetooth Earphone / VOIP Phone

USB TV dangle

RF Vista TV controller

Bluetooth Vista TV controller



Software Utility

Asus Built or modified for Vista

- n Asus Win flash for BIOS and Driver live Update (Pre-install)
- n Asus Power4Gear eXtreme (Pre-install)
- n Asus Live Update (Pre-install)
- n Asus Life frame 3 (Pre-install)
- n Asus Smart Log on System (Pre-install)
- n Asus Copy Protect (Pre-install)
- n ASUS Multi-Frame (Pre-install)
- n ASUS Wireless Console (Pre-install)
- n Net 4 switch (Driver CD)
- n Asus Virtual Camera (Pre-install)
- n Power 4 Phone (Pre-install)
- n Asus NB Probe + (Pre-install)
- n Color Enhancement (Splendid) (Pre-install)
- n ASUS Security Protect Manager 2.0 (Pre-install)
- n Infineon Security Platform Host SW (Pre-install)
- n Express Gate (Pre-install)

Optional by model & SKU

- n ASUS Data Security Manager (WO/FP sku)
- n ASUS Security Protect Manager (W/FP sku)
- n TPM Utility
- n Virtual Drive
- n WinDVD (W/ BD & BD DVD sku)
- n Asus 3G Watcher (Pre-install for 3G)

Shipment bundle S/W:

- n Norton Internet Security 2008 (Pre-install)
- n Adobe Acrobat Reader 8.0 (Pre-install)
- n NERO 8 Essentials (Pre-install for BD)
- n ASUSDVD V7 (For Basic & Business only) (Pre-install)
- n Power Director V6 (For Basic & Business only)
- n Medi@Show V3 (For Basic & Business only)
- n Power2Go V5.5 (燒錄功能) (Pre-install)
- n PowerProducer V4
- n LabelPrint V2

Industry Standard Certifications

UL



_ .. _ . _ . _ . _

CE Marking Compliance

FCC Compliance

BSMI

Australia C-TICK / NZ A-Tick Compliance

Japan VCCI Compliance

IDA

CCC

GOST-R

СВ

Regulation

n EMI: USA(FCC-B), JAP(VCCI-B), TWN(檢磁), CCC

n Safety: CE, CB, TUV, UL/cUL, CCIB, CCC

n Modem: Universal PPT including US(FCC-B), TWN(DGT), PRC (FCC68), JPN(JATE), EURO(CTR21)

n Wireless RF Certification: TWN, CHN, FCC, European, Telec

n TWN 環保標章

n RoHS (S-AT2-001)

n WEEE (S-AT2-002)

n Energy star □

n TCO05

n J-Moss

n GS

Windows Certification

n Compatibility: Window Vista 32/64 bit, WinKey

n Language: US Int'I, JAP, TWN

n Supported OS: Windows Vista

n Driver WHQL support, Vista (64-bit one Disc)

Keyboard Language

n US(TWN), JP, UK, KOR, France, GR CR, DN, CZ, IT, BL, NW, PO, SF, SP, SW, SC, FR, JP, RU, UK Spain, TUR, AR

Casing

Plastic A/B/C/D parts (slim, lightweight and durability)

