

TravelMate 8371 Specifications (v5-3-1)		
Operating system ¹	Genuine Windows Vista® Business 32-bit (Service Pack 1)	
	Genuine Windows XP [®] Professional (Service Pack 3)	
$Platform^1$	Intel [®] Centrino [®] 2 processor technology, featuring:	
	 Intel[®] Core[™]2 Duo processor SU9400/SU9600 (3 MB L2 cache, 1.40/1.60 GHz, 800 MHz FSB, 10 W), supporting Intel[®] 64 architecture 	
	Intel [®] Centrino [®] processor technology, featuring:	
	 Intel[®] Core[™]2 Solo processor SU3500 (3 MB L2 cache, 1.20/1.40 GHz, 800 MHz FSB, 5.50 W), supporting Intel[®] 64 architecture 	
	Mobile Intel [®] GS45 Express Chipset	
	Intel [®] Wireless WiFi Link 5100 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [™] network connection, featuring MIMO technology, supporting Acer SignalUp [™] with Nplify ^{™3, 4} wireless technology	
	Acer InviLink [™] Nplify ^{™3, 4} 802.11b/g/Draft-N Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology	
	Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology	
	Intel[®] Pentium[®] processor SU2700 (2 MB L2 cache, 1.3 GHz, 800 MHz FSB, 10 W), supporting Intel [®] 64 architecture with Mobile Intel [®]	
	Mobile Intel [®] GS45 Express Chipset	
	Intel [®] Wireless WiFi Link 5100 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [™] network connection, featuring MIMO technology, supporting Acer SignalUp [™] with Nplify ^{™3, 4} wireless technology	
	Acer InviLink [™] Nplify ^{™3, 4} 802.11b/g/Draft-N Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology	
	Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology	
System memory ¹ ' 5, 6	Dual-channel DDR3 support:	
	 Up to 4 GB of DDR3 1066 MHz memory, upgradeable to 8 GB using two soDIMM modules (for 64-bit operating system) 	
	 Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules (for 32-bit operating system) 	

TravelMate 83	71 Specifications (v5-3-1)
Display and graphics ¹	13.3" WXGA HD 1366 x 768 pixel resolution, high-brightness (200-nit) Acer LED-backlit TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista [™]
	16:9 aspect ratio
	Super-slim design
	Mobile Intel [®] GS45 Express Chipset with integrated 3D graphics, featuring Intel [®] Graphics Media Accelerator 4500MHD (Intel [®] GMA 4500MHD) with up to 1759 MB of Intel [®] Dynamic Video Memory Technology 5.0 (64 MB of dedicated video memory, up to 1695 MB of shared system memory), supporting Microsoft [®] DirectX [®] 10
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 60 Hz
	• 1920 x 1440: 75/60 Hz
	• 1920 x 1080: 100/85/75/60 Hz
	• 1856 x 1392: 75/60 Hz
	• 1792 x 1344: 75/60 Hz
	• 1600 x 1200: 100/85/75/60 Hz
	• 1600 x 900: 60 Hz
	• 1400 x 1050: 60 Hz
	• 1366 x 768: 85/75/60 Hz
	• 1280 x 1024: 120/100/85/75/60 Hz
	• 1280 x 960: 85/60 Hz
	• 1280 x 768: 60 Hz
	• 1152 x 864: 100/85/75 Hz
	• 1024 x 768: 120/100/85/75/60 Hz
	• 800 x 600: 120/100/85/72/60 Hz
	• 640 x 480: 120/100/85/75/60 Hz
	MPEG-2/DVD decoding
	WMV9 (VC-1) and H.264 (AVC) decoding
Storage subsystem ¹	160/250/320/500 GB or larger hard disk drive ⁷ , with enhanced Acer DASP (Disk Anti-Shock Protection)
	80 GB Intel [®] X25-M solid state drive ^{7, 8}
	 Multi-in-1 card reader, supporting Secure Digital[™] (SD) Card, MultiMediaCard (MMC), Memory Stick[™] (MS), Memory Stick PRO[™] (MS PRO), xD-Picture Card[™] (xD)

TravelMate 83	71 Specifications (v5-3-1)
Dimensions and weight	323.6 (W) x 228 (D) x 26/ 29.4 (H) mm (12.74 x 8.97 x 1.02/1.10 inches)
	1.65 kg (3.58 lbs.) with 6-cell battery pack
Power subsystem	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes
	62.16 W 5600 mAh 6-cell Li-ion battery pack:
	 8-hour battery life^{9, 10}
	Acer PowerSmart 3-pin 65 W AC adapter
	ENERGY STAR®
Input devices ¹	88-/89-/93-key Acer FineTouch [™] keyboard with inverted "T" cursor layout
	10 function keys, four cursor keys, two Windows [®] keys, hotkey controls, international language support
	Multi-gesture touchpad pointing device, supporting:
	• Circular-motion scrolling
	• Pinch-action zoom
	• Page flip
	Acer PowerSmart key
	Easy-launch keys: Acer Backup, Communication [®] , touchpad lock
Audio	High-definition audio support
	MS-Sound compatible
	Built-in microphone
Communication	Acer Video Conference ¹ , featuring:
	 Integrated Acer Crystal Eye high-def webcam, with 640 x 480 @ 30fps resolution image capture, supporting enhanced Acer PrimaLite[™] technology
	WLAN ^{1, 4} :Intel [®] Wireless WiFi Link 5100 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED [™] network connection, featuring MIMO technology, supporting Acer SignalUp [™] with Nplify ^{™3} wireless technology
	Acer InviLink [™] Nplify ^{™3, 4} 802.11b/g/Draft-N Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology
	Acer InviLink [™] 802.11b/g Wi-Fi CERTIFIED [™] network connection, supporting Acer SignalUp [™] wireless technology
	WPAN ¹ : Bluetooth [®] 2.1+EDR (Enhanced Data Rate)
	WWAN ¹ : UMTS/HSPA at $850/900/1900/2100$ MHz and quad-band GSM/GPRS/EDGE ($850/900/1800/1900$ MHz) upgradeable to 7.2 Mb/s HSDPA and 5.7 Mb/s HSUPA
	Optional support for receiver diversity and equalizing at

TravelMate 8371 Specifications (v5-3-1)		
	2100 MHz	
	LAN: Gigabit Ethernet, Wake-on-LAN ready, ASF 2.0	
I/O interface	Acer EasyPort IV connector	
	Acer Bio-Protection fingerprint reader ¹	
	Multi-in-1 card reader (SD ^{\mathbb{N}} , MMC, MS, MS PRO, xD)	
	Three USB 2.0 ports	
	External display (VGA) port	
	Headphone/speaker/line-out jack	
	Microphone-in jack	
	Ethernet (RJ-45) port	
	DC-in jack for AC adapter	
Security	Enhanced Acer DASP (Disk Anti-Shock Protection)	
	Acer Bio-Protection fingerprint solution ¹ , featuring Pre-Boot Authentication (PBA), computer protection, Acer ProfileLaunch, Acer FingerLaunch, Acer FingerNav	
	BIOS user, supervisor, HDD passwords	
	Kensington lock slot	
Software	Acer Assist	
	Acer Bio-Protection	
	Acer Crystal Eye ¹	
	Acer GridVista [™]	
	Acer Launch Manager	
	Acer Backup Manager ¹	
	Acer PowerSmart Manager	
	Acer eRecovery Management	
	Acer Product Registration	
	Adobe [®] Flash [®] Player	
	Adobe® Reader®	
	Carbonite Online Backup Setup	
	eSobi™	
	Google [™] Desktop	
	Google [™] Setup	
	Google [™] Toolbar	
	McAfee [®] Internet Security Suite Trial ¹¹	
	Microsoft [®] Office Professional 2007 Trial	
	Microsoft [®] Office Personal 2007 ¹	
	PA registration	

TravelMate 83	TravelMate 8371 Specifications (v5-3-1)		
	Windows Live [™] Essentials		
	Acer 3G Connection Manager ¹		
Optional items	Acer EasyPort IV		
	1 GB / 2 GB DDR3 1066 MHz soDIMM module		
	6-cell Li-ion battery pack		
	Acer PowerSmart 3-pin 65 W AC adapter		
	External USB floppy disk drive		
	External USB 56K modem		
System	Wi-Fi®		
compliance	ACPI 3.0		
	Mobile PC 2002		
	DMI 2.0		
	EPEAT® Silver		
	Cisco Compatible Extensions (CCX) ¹		
Warranty	One-year International Travelers Warranty (ITW)		
Quality and	Temperature and humidity		
reliability tests	Hinge life		
	Weight and pressure		
	Acoustics		
	Spillage		
	Free drop		
	Shock and vibration		
	Electrostatic discharge immunity		
	Keyboard-switch life		
	MTBF (mean time between failures)		
Acer recommends Windows Vista [®] Business			

Acer recommends Windows Vista[®] Business

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Acer Nplify[™], a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED[™], it supports Acer SignalUp[™] wireless technology and is compliant with 802.11a/b/g/Draft-N and 802.11b/g standards.
- 4. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 5. Up to 1 GB of available system memory may be allocated for system resource requirements.

TravelMate 8371 Specifications (v5-3-1)

- 6. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 7. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10GB of the stated hard disk capacity as dedicated backup space.
- 8. Subject to availability.
- 9. Your computer's battery life may vary depending on product specifications, computer settings, and applications or features launched. The listed battery life is for individual battery packs tested with MobileMark 2007 in productivity test mode and with wireless connection on. All batteries' maximum capacity will diminish with time and use.
- 10. Battery life indicated is with Acer PowerSmart Manager enabled.
- 11. Trial periods vary depending on the geographic region and specifications: 365-day trial for China, Hong Kong (Simplified Chinese and Traditional Chinese OS models), Taiwan and Singapore; 60-day trial for other regions.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S. and enhancing its strong position in Europe. The Acer Group employs more than 6,000 people worldwide. 2008 revenues reached US\$16.65 billion. See www.acer.com for more information.

