

Lenovo L28u-35 66ECGAC4EU

Product

Lenovo L28u-35

Machine Type

66EC

Region

EMEA

Display Size

28"

View Area

620.9x341.3 mm

Panel

In-Plane Switching

Aspect Ratio

16:9

Resolution

3840x2160

Pixel Pitch

0.16x0.16 mm

Dot / Pixel Per Inch

157 dpi

View Angle (H / V)

178 / 178

Response Time

4 ms (Extreme mode) / 6 ms (Typical mode) / 14 ms (Off mode)

Color Support

1.07 Billion

Refresh Rate

60 Hz

Brightness

300 nits

Contrast Ratio

1000:1

Color Gamut

99% sRGB, 90% DCI-P3

Curvature

None

Anti-glare

Yes

Video Connector

2x HDMI 2.0, 1x DP 1.4

USB Port

None

Camera

None

Microphone

None

Speakers

2x 2W

Power Consumption (Typical / Maximum)

30W / 50W

Power Adapter

Integrated

Stand

Tilt, Swivel, Pivot, Height Adjust Stand

Color

Raven Black

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

569.3x636.9x215.0 mm / 22.41x25.07x8.46 inches

Weight (Including Stand)

6.6 kg / 14.5 lbs.

Cables Included

HDMI cable

Environmental Certification

Energy Star Certified, TCO 9.0, TCO Edge 2.0, RoHS

Ergonomic Certification

Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Eye Comfort

Base Warranty

3-year

Operating System Support

Support Windows 7, Windows 10, Windows 11

Sync Technology

AMD Radeon FreeSync

Tiny Support / CPU / Platform

Tiny, Nano Support / None / None

Ethernet / Bluetooth / Wireless

None / None / None

Touch Screen / Digitizer Pen / Controller

None / None / None

Display Ram / Storage / Card Slot

None / None / None

EAN / UPC / JAN

0196378277264 / 196378277264 / None

Announce Date

2022-02-14



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2022. All rights reserved.



Lenovo™

Lenovo L28u-35 Monitor

DISPLAY

Panel Size
28-inch

Screen Dimensions
631.7 mm x 359.6 mm

Panel Type
3-side NearEdgeless
In-Plane Switching

Active Area
620.9 mm x 341.3 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
3840 x 2160

Pixel Pitch
0.160 mm x 0.160 mm

Dot/Pixel Per Inch (DPI/PPI)
157

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
4ms (Extreme Mode),
6ms (Normal Mode), 14ms (Off Mode)

Refresh Rate
60 Hz

Brightness (Typical)
300 cd/m²

Contrast Ratio (Typical)
1000:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
99% sRGB, 90% DCI-P3

Color Support (Typical)
1.07 Billion

Color Depth
10-bit

HDR Compliance
Yes (HDR10)

Anti-Glare
Yes

CONNECTIVITY

Video Signal
2 x HDMI 2.0
1 x DP 1.4

Audio Signal
1 x Audio Out (3.5 mm)

MULTIMEDIA

Integrated Speakers
Yes (2 x 2W)

SPECIAL FEATURES

Sync Technology
AMD FreeSync™¹

Natural Low Blue Light
Yes

POWER

Power Consumption (Typ. / Max.)
30W / 50W

Power Consumption Sleep/Off Mode
< 0.5W

Power Consumption Switch-Off Mode
< 0.3W

Power Supply
Internal

Voltage Required
AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back)
-5° / 22°

Swivel Angle (Left / Right)
+360° / -360°

Lift Range
150 mm

Pivot
-90° / 90°

VESA Mount Capability
Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support
Yes, by Tiny VESA Mount II (PN: 4XF0N03161)²

ThinkCentre M Series Nano Support
Yes, by Nano VESA Mount (PN: 4XF0V81630)²

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
2.0 mm

Bezel Width (Top / Bottom)
2.0 / 22.8 mm

DIMENSION

Size Packed (D x H x W) (mm/inch)
170.0 x 489.0 x 744.0 mm
6.69 x 19.25 x 29.29 inches

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch)
215.0 x 419.3 x 636.9 mm
8.46 x 16.51 x 25.07 inches

Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch)
215.0 x 569.3 x 636.9 mm
8.46 x 22.41 x 25.07 inches

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch)
48.9 x 373.7 x 636.9 mm
1.93 x 14.71 x 25.07 inches

Weight Packed (kg / lb)
10.1 kg / 22.3 lbs.

Weight Unpacked (kg / lb)
6.6 kg / 14.5 lbs.

Weight (Monitor Head Only) (kg / lb)
4.6 kg / 10.1 lbs.

WHAT'S IN THE BOX

Monitor with Stand
Yes

Power Cable (Cable Length)
1 x Power Cable (1.8m)

HDMI Cable (Cable Length)
1 x HDMI 2.0 Cable (1.8m)

Quick Setup Guide
Yes

CERTIFICATION

ENERGY STAR Certification
Yes

CCC
Yes

TCO
9.0

TCO Edge
2.0

Volatile Organic Compound Certification
Yes (GREENGUARD)

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Windows 7, Windows 10, Windows 11

China Energy Efficiency Standard
Tier 2

TÜV Rheinland Eye Comfort
Yes

TÜV Low Blue Light (Hardware Solution)
Yes

Eyesafe Display Certification
Yes



¹ AMD FreeSync™ only can work with AMD Radeon™ series graphics card.

² Sold separately.

Lenovo L28u-35

