

## ESPRIMO Mobile M Series One size fits all

Issue July 2007

Pages 4

Being frequently on the move? Accepting no compromises? Understood that mobility is reality? For business people like you work became impossible without mobile equipment.

The ESPRIMO Mobile M9400 – an lightweight mainstream notebook – with latest Intel® Centrino® processor technology meets the growing needs for ubiquitous connectivity. It keeps you working productive, wherever you decide to work.

This professional notebook features a superb 14.1-inch WXGA display and long independence from any power source. In combination with embedded UMTS/HSDPA you stay in touch with your colleagues, partners and customer – whenever and wherever you are. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

### Elegance

- Designed for demanding mobile users, ESPRIMO Mobile is the perfect synthesis of form, function and style.
- Elegant family design, Small package full sized keyboard for best working conditions on the move

### Ergonomics

- Enjoy the viewing quality of 14.1 -inch wide format WXGA TFT display
- Port replicator for simple connection to all your peripherals

### Connectivity

- Always connected to your emails  
Wireless high-speed connectivity everywhere with embedded LAN, WLAN and UMTS/HSDPA
- Long lasting battery for independent working with first and second battery

### Reliability

- Long independency with long battery runtime and further extension with second battery
- Germany's quality standard in award-winning best-in-class manufacturing

### Manageability

- Seamless integration in heterogeneous enterprise management systems
- Sophisticated family concept with BIOS / BIM compatibility



System	ESPRIMO Mobile M9400
<b>Processor</b> <b>Intel Celeron M Processor</b> Second level cache Front side bus (FSB) <b>Intel® Core2™ Duo Processor</b> Second level cache Front side bus (FSB) <b>Intel® Core2™ Duo Processor</b> Second level cache Front side bus (FSB)	Celeron M540 - - T7250 (2.0 GHz) 2 MB 800 MHz T7500 (2.2GHz) T7700 (2.4GHz)* 4 MB 800Mhz
<b>Chipset</b> Northbridge Southbridge	Intel GM965 ICH 8-M
<b>Memory</b> DIMM slots DDR2-667 SDRAM, 667 MHz	2 up to 4 GB
<b>BIOS</b> BIOS Flash EPROM	BIOS based on Phoenix TrustedCore Notebook
<b>Interfaces</b> SIM card slot Express card 34/54 Memory card slot (SD, MS, xD and MSPRO) USB 2.0 S-Video out (TV-out)without adapter cable VGA Modem RJ-11 LAN RJ-45 Audio-in (line-in / microphone) Audio-out (line-out / headphone) DC-in 20V Kensington Lock Docking connector for Port Replicator	1 1 1 4 1 1 optional 1 1 1 1 1 1 1
<b>Port Replicator interfaces (optional):</b> USB 2.0 VGA DVI-D Serial port Parallel port LAN RJ-45 PS/2 DC-in Microphone Headphone Power on switch Kensington Lock	4 1 1 1 1 1 1 1 1 1 1 1 2
<b>Camera</b>	via m4y
<b>Modem on board</b> 56K V.92 modem MDC1.5	optional
<b>LAN on board</b> built-in 10/100/1000 Mbps Marvell 88E8055	x
<b>Wireless Technologies (WLAN)</b> Import and usage according to country-specific regulations. 3 Dual band WLAN antennas, 2 UMTS antennas Intel Pro Wireless 4965 a/g/n Atheros Minicard b/g 802.11 b/g WiFi certified  Integrated UMTS/HSDPA, also supported are GPRS and EDGE or higher  * future firmware update	optional optional x Option GTM378 7.2 MBit download 1.2MBit upload*
<b>Bluetooth</b> Bluetooth V2.0	optional
<b>Audio</b> Stereo speakers Sound chip Internal microphone	x Realtek ALC262 1
<b>Keyboard and pointing device</b>  Keyboard  Touchpad Application Buttons Status LED	Spill proof 86 keys, 19mm pitch, 2.7mm key stroke x 1x Wireless x
<b>Graphics</b> Intel X3100 integrated graphics Direct X9 Pixelshader 3.0 DualView	x x x x
<b>Display</b> 14.1-inch TFT WXGA 1280 x 800 pixel Max. resolution for external displays <b>at DVI on Port replicator</b>	x 1920 x 1200 / true color / 85 Hz (tbd.)
<b>Hard disk drives (internal) *</b> S.M.A.R.T.	x

80 GB S-ATA 150 (5400 rpm) 120 GB S-ATA 150 (5400 rpm) 160 GB S-ATA 150 (5400 rpm) * 1 Gbyte equals one billion bytes, when referring to hard disk drive capacity; accessible capacity may vary, also depending on used software and tool.	x x x
<b>Fixed drives</b> DVD+/- RW Dual layer (+R) Multiformat DVD writer with double layer support Weight saver More information in specific Data Sheet: <a href="http://www.fujitsu-siemens.com/optical_drives/">http://www.fujitsu-siemens.com/optical_drives/</a>	Optional Optional
<b>Manageability</b> Please refer to <a href="http://www.fujitsu-siemens.com/solutions/business_solutions/manageability/featurefinder.html">http://www.fujitsu-siemens.com/solutions/business_solutions/manageability/featurefinder.html</a> <b>Supported Standard</b> WMI PXE BootP	x x made4you
<b>Security</b> <b>Physical security</b> Kensington Lock support <b>System Security</b> Symantec Norton Internet Security <b>User Security</b> User and supervisor BIOS password Hard disk password	x x x x
<b>Power supply</b> 1 <sup>st</sup> Li-Ion battery 6 cell 5200mAh (56.2Wh) 2 <sup>nd</sup> Li-Ion battery 6 cell 3800mAh (41Wh) (Option) First battery * (Mobile Mark 2005) [up to] First + Second battery * (Mobile Mark 2005) AC adapter Rated voltage (AC input) 100 - 240 V Rated frequency 50 - 60 Hz DC output 20 V, 3.25 A Dynamic charge supported (rapid charge) * Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. ** for made4you customizing projects only	x attached at bottom 6h up to 8h  20V/90W (4,25A)  x
<b>Operating temperatures</b> Relative humidity (non-condensing) Ambient temperature	20% - 85% (running) 5° - 35° C
<b>Dimensions / Weight</b> Dimensions (H x W x D) Weight* * Weight may vary depending on actual configuration	38x 33,5 x 24,5 2.2Kg incl. 1st battery, weight saver
<b>Certificates</b> CE Marking CE according to EU Directives 89/336/EEC (EMC) 73/23/EEC (Product safety) CE! (Wireless) CE (Emission/Immunity) R&TTE GS (German ergonomic approval) UL/cUL CB Generic Report CB (Safety) RoHS WHQL TBR21 WiFi certified	x x x (with integrated wireless moduls) x x x x x x x x x
<b>Operating System</b> Microsoft Windows XP Microsoft Windows Vista™	driver support x
<b>Software</b> (compatibility / preinstalled) Adobe Acrobat Reader Application panel tool Camera Windows Vista recovery media Driver and Utility DVD (DUDVD) Easy Guide on-line user documentation Burning software (Nero Essentials) Norton Internet Security (incl. Firewall) on DUDVD for Microsoft Windows XP Recovery Solution provided via Vista Toshiba Bluetooth Stack UMTS connection manager DVD playback software (Nero Essentials)	x x  optional (extra order number) optional (extra order number) x x x x x optional with UMTS optional (extra order number)

<b>Accessories</b> (order number) AC-adapter Protective Case Port Replicator Battery Modem adapter set 1: D, UK Modem adapter set 2: SW, NO, FI, DK Modem adapter set 3: CH, A, B, NL, F, I, E, POR <a href="http://www.fujitsu-siemens.com/accessories/">http://www.fujitsu-siemens.com/accessories/</a>	tbd tbd tbd tbd
<u>Spare part availability</u>	5 years

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.  
 For further information see [http://www.fujitsu-siemens.com/terms\\_of\\_use.html](http://www.fujitsu-siemens.com/terms_of_use.html)

Published by

Fujitsu Siemens Computers  
<http://www.fujitsu-siemens.com/>

Company stamp