Návod na úpravu favoritných skupín v prog. DreamEdit

Potrebné:

- v prijímači mať verziu SW 1.04.20 a novšiu
- v prijímači zapnúť FTP Server Menu-> Nastavenia ->Nastavenia Misc-> FTP Server zap
- program DreamboxEdit v. 7.2.0.0 a novší

<u>Návod:</u>

1. Otvorte v DreamboxEdit možnosť "Options"

1101	Set vario	s program options - all types -		- all satelli	tes -
Service	Packag	je	Туре	Satellite	Fre.

2. Do polička IP adresa zadajte IP adresu prijímača. Zvyšne údaje vyplňte podľa obrázku

ce Packag	ge Type Satellite Fre Pol Sym F	FEC System Mod Sat SID	TSID NID Type VPID APID	TPID PPID 3PID Namespace FI	ags
		dreamboxEDIT Options			
		Profiles General Messages F	TP Advanced GUI		
		Selected profile:	Network settings		
		(Default)	IP address: IPvt	HTTP port: SSL/TLS	Test IP Connection
	A A A A A A A A A A A A A A A A A A A	Profiles	192.100.1.33		
	Meno: root	(Default)	root	21 (default 21)	Test Username / Password
			Password	FTP type:	Reset all TCP/IP options to
	Heslo: sky1122			Passive (default) Active	defaults
			File paths on the Dreambo	×	
			Services and Bouquets file	s	Reset file paths to their defaults for:
			/home/gx/local/enigma_	db/	
0	a		User bouquet files:	db.l	Enigma2 settings
/home/qx	/local/enigma_db/		Satelliter yml file	00/	Satellite receiver
	J –		/home/gx/local/enigma	db/	
			Path for Picons:		Cable receiver
		New Profile	/media/usb/picons/		Terrestrial receiver
		Save Profile	Local file paths		
		Delate Brafile	Local data directory:		Browne
		Delete Prome	Local Picon directory:		biowse
		PID cache format Original OPLi			Browse
					Cancel Save

3. Potvrďte tlačidlom "Uložiť" a otvorte možnosť FTP -Transfer File

File Edit Too	ls Help			
			Ē 1	0
Services	Transfe	r a file-set between your P	C and the Dreamb	ox - all sa
		Package	Type	Satellite

4. Zaškrtnite políčko podľa obrázku

		*	
Profile:	IP Address:	Receive Files from Dreambox	
(Default) 👻	192.168.1.33	Celect files to receive	Potrebne zaškrt
 Profile Local data directory: 		Send Files to Dreambox	
 Global Local data directory: 	Browse	Auto Reload Settings Enigma2 Remove unused bouquets from Dreambox	
C:\Users\Peter Pista\Documents\o	dreamboxEDIT\settings	Upload Picons when sending files to Dreambox	
FTP Log			

5. Zvoľte možnosť "Receive Files from Dreambox"

6. Označte políčka podľa obrázku a stlačte "OK" :

FTP Configuration Profile:	IP Address:		Receive Files from D	reambox			
(Default)	▼ 192.168.1.33	Select files	to receive				
 Profile Local data directory: 			Send Files to Drea	eambox			
		Auto Reloa	Auto Reload Settings Enigma2				
Global	Select the files to receive from	n the Dreambox		mbox			
C:\Users\Peter Pista\Docur	Select files to receive Services (including Pa	rrental Lock file)		Dreambox			
FTP Log	Bouquets		-				
	✓ User Bouquets TV						
	🔲 User Bouquets Radio		Abort	Abort			
	Satellites.xml / Terrest	rial.xml / Cables.xml	ок				
	S			_			

Po úprave favoritných staníc staníc

- 1. Otvorte možnosť FTP Transfer File
- 2. Kliknite na "Send Files to Dreambox"

Stations -	DVB-S		20,5	14055	3212	3	13	5510	5520	5510	15400900	
1		QPSK	19,2	4109	1105	53	1	607	147	607	12582912	
	DVB-S	QPSK	23,5	14117	3214	3	1	1710	1720	1710	15400960	
) FTP	- Transfer	Files									
	FTP (Configurat	tion									
	Profi	le:				IP Addr	ess:				Receive Files from Dreambox	
	(Def	ault)			•	192.16	3.1. <mark>3</mark> 3			Select file	s to receive	
	O P Loca	rofile I data dire	ectory:							-	Send Files to Dreambox	
										Auto Relo	ad Settings Enig Send the complete file	e-set to the Dreambo
	G Local	ilobal I data dire	ectory:				[Bro	owse	Remove u	nused bouquets from Dreambox	
	C:\U	lsers\Peter	r Pista\D	ocum	ents\dr	eambox	EDIT	setting	gs	Upload Pi	cons when sending files to Dream	box
	FTPI	00										
	Rel	load settir Dreambo	ngs on ox		Rest	art Enigr	ma2					Bac
	Rel	load settin Dreambo	ngs on ox		Rest	art Enigi	ma2					Bac
	Rel	load settir Dreambo QPSK	ngs on ox 23,5	4909	Rest.	art Enigr	ma2	5019	5029	5019	15400960	Bac

3. Po dokončení nahrávania kliknite na "Restart Enigma2"

93 V 27500 auto 97 V 29900 auto 97 V 22000 auto 97	201 H	2200	o auto	DAR-2	QPSK	19,2	4140	1105	23	31	000	140	CUO	12382912		
51 H 22000 auto DVE-S QPSK 19.2 4109 1105 53 1 607 12582912 97 V 29900 auto DVE-S QPSK 23.5 14117 3214 3 1 1710 1720 1710 15400960 97 V 29900 auto PTP - Transfer Files X X Y 2900 auto Y PTP - Transfer Files X 97 V 29900 auto Profile IPA ddress: <	193 V	2750	00 auto	DVB-S	QPSK	23,5	14055	3212	3	1	5510	5520	5510	15400960		
97	251 H	2200	00 auto	DVB-S	QPSK	19,2	4109	1105	53	1	607	147	607	12582912		
12 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 V 29900 auto FTP - Transfer Files × 97 H 22000 auto Profile □ □ 0.31 H 27000 auto □	197 V	2990	00 auto	DVB-S	QPSK	23,5	14117	3214	3	1	1710	1720	1710	15400960		
97	212 V	2990)0 auto		+ +	-										
97	197 V	2990	00 auto	FIP	- Transfer	Files										<u> </u>
85 V 29900 auto 95 H 22000 auto 93 H 27500 auto 95 V 22000 auto 10 H 27500 auto 110 H 27500 auto 125 V 22000 auto 126 V 2500 auto 126 V 2500 auto 126 V 2500 auto 126 <td< td=""><td>197 V</td><td>2990</td><td>)0 auto</td><td>ETD</td><td>Configura</td><td>tion</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	197 V	2990)0 auto	ETD	Configura	tion										
51 H 22000 auto 03 H 27500 auto 05 V 22000 auto 05 V 22000 auto 01 H 27500 auto 02 H 2500 auto 01 H 27500 auto 02 H 2500 auto 03 H 27500 auto 03 H 27500 auto 03 H 27500 auto 10 H 27500 auto </td <td>185 V</td> <td>2990</td> <td>00 auto</td> <td>Prof</td> <td>ile:</td> <td>uon</td> <td></td> <td></td> <td>IP Add</td> <td>ess:</td> <td></td> <td></td> <td></td> <td>Receive Files from Dream</td> <td>nbox</td> <td></td>	185 V	2990	00 auto	Prof	ile:	uon			IP Add	ess:				Receive Files from Dream	nbox	
B3 H 27500 auto D3 H 27500 auto D3 H 27500 auto D3 H 27500 auto T3 V 29900 auto D3 H 27500 auto B4 V 29500 auto B5 V 29500 auto B5 V 29500 auto B5 V 29500 auto B6 V 29500 auto B6 V 29500 auto B7 H 22000 auto B6 V 29500 auto B6 V 29500 auto	251 H	2200	00 auto	1101	6 IN			and a	100.10							
03 H 27500 auto 03 V 22000 auto 03 H 27500	203 H	2750	00 auto	(De	fault)			•	192.16	8.1.33	\$		Select file	es to receive		
 Billion H 27500 auto W 22000 auto Global Local data directory: Global Local data directory: Global Local data directory: C:USers/Peter Pista/Documents\dreamboxEDIT\settings H 27500 auto W 22000 auto H 27500 auto W 22000 auto W 2500 auto <l< td=""><td>203 H</td><td>2750</td><td>00 auto</td><td>OF</td><td>Profile</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></l<>	203 H	2750	00 auto	OF	Profile											
73 V 29900 auto 73 V 2900 auto 73 V 2200 auto 74 V 2200 auto 75 V 2200 auto	203 H	2750	00 auto	Loca	al data dire	actory:								Send Files to Dreamb	DX	
34 V 22000 auto Auto Reload Settings Enigma2 03 H 27500 auto Remove unused bouquets from Dreambox 05 V 22000 auto Upload Picons when sending files to Dreambox 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Upload Picons when sending files to Dreambox 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Upload Picons when sending files to Dreambox 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings 05 V 22000 auto Image: Stable Documents/dreamboxEDIT/settings Image: Stable Documents/dreamboxEDIT/settings	173 V	2990	00 auto													
 Bin. H 27500 auto Clubers\Peter Pista\Documents\dreamboxEDIT\settings Clubers\Peter Pista\Documents\dreamboxEDIT\settings Upload Picons when sending files to Dreambox Upload Picons when sending files to Dreambox Clubers\Peter Pista\Documents\dreamboxEDIT\settings FTP Log * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Transfer wid getatrit * Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * The Transfer wid getatrit * Sending file '/homejgx/loca/wigma_db/uetelites.uml' ** * Sending file '/homejgx/loca/wigma_db/uetelites	134 V	2200	00 auto										Auto Rel	oad Settings Enigma2		
51 H 22000 auto 51 H 22000 auto 22 V 22000 auto 50 V 22000 auto 79 H 29500 auto 79 H 29500 auto 70 H 27500 auto 71 H 22000 auto 71 H 22000 auto 71 H 22000 auto 72 H 22000 auto 73 H 27500 auto 74 H 22000 auto 75 Tradfer wid getartet "Tradfer dig/ca/lmigma_db/ca/lmigma_	203 H	2750	00 auto		Global						Br	owse	Remove	unused bouquets from Dream	nbox	
22 V 22000 auto 50 V 22000 auto 59 V 22000 auto 59 V 22000 auto 59 V 22000 auto 59 V 22000 auto 79 H 29500 auto 71 H 22000 auto 56 V 22000 auto 56 V 22000 auto 56 V 22000 auto 56 V 22000 auto 50 V 2900 auto	251 H	2200	00 auto	Loca	al data dire	ectory:									and the second second	
50 V 22000 auto 59 V 22000 auto 59 V 22000 auto 10 H 27500 auto 50 V 29500 auto 50 V 29500 auto 50 V 29500 auto 50 V 22000 auto 50 V 29900 auto 50	122 V	2200	00 auto	C:\l	Jsers\Pete	r Pista\D	ocume	ents\d	reambo	EDIT	\settin	gs		ricons when sending files to D	reambox	
59 V 22000 auto 79 H 25500 auto 10 H 27500 auto 77 H 22000 auto 36 V 29500 auto 58 V 29500 auto 58 V 2000 auto 58 V 2000 auto 59 V 22000 auto 50 V 29000 auto 50 V 2900 auto 50 V 200 VB-S QPSK 23,5 4909 3234 3 25 8191 8191 3333 15400960	150 V	2200	00 auto	1												
79 H 29500 auto 10 H 27500 auto 10 H 27500 auto 10 H 27500 auto 79 H 22000 auto 36 V 29500 auto 26 H 27500 auto 26 H 27500 auto 79 H 22000 auto 79 H 27500 auto 79 V 2900 auto 79 V	159 V	2200)0 auto	FTP	Log											
10 H 27500 auto 10 V 2900 auto 10 H 27500 auto 11 H 27500 auto 12 H 27500 auto 13 H 27500 auto 14 H 2000 auto 15 H 27500 auto 16 V 29900 auto 17 H 22000 auto 16 V 29500 auto 16 V 29500 auto 17 H 22000 auto 16 V 29500 auto 17 H 27500 auto 16 V 29500 auto DVB-S QPSK 23,5	179 H	2950)0 auto	** Ser	nding file "/hor	me/gx/local;	/enigma_d	b/bouqu	ets radio" **	8						
10 H 27500 auto 10 H 27500 auto 77 H 22000 auto 36 V 29500 auto 78 H 27500 auto 79 H 27500 auto 70 H 27500 auto 71 H 22000 auto 71 H 27500 auto	210 H	2750	00 auto	FTP-T Trans	fransfer wird ge der abneschlos	estartet										
77 H 22000 auto 96 V 29500 auto 96 V 29500 auto 96 H 27500 auto 97 V 29900 auto 0VB-S QPSK 23,5 4909 324 3 15019 5019 15400960	210 H	2750	00 auto	** Ser	nding file "/hor	me/gx/local/	/enigma_d	lb/userbo	uquet.dbe0	0 radio	***					
36 V 29500 auto 86 V 29500 auto 86 V 22000 auto 26 H 27500 auto 9 V 22000 auto 9 V 22000 auto 13 H 27500 auto 13 H 27500 auto 13 H 27500 auto 14 H 22000 auto 15 V 29900 auto 16 V 29900 auto 16 V 29500 auto 16 V 29500 auto 16 V 29500 auto 16 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 15019 5019 15400960 16 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 1511 3333 15400960	077 H	2200	00 auto	Trans	fer abgeschlos	istartet										
68 V 22000 auto 75 H 27500 auto 10 H 27500 auto 9 V 22000 auto 19 H 27500 auto 19 H 27500 auto 19 H 27500 auto 19 V 2900 auto 19 V 2900 auto 19 V 2900 auto 10 H 27500 auto 19 V 2900 auto 19 V 2900 auto 10 H 27500 auto 11 H 22000 auto 16 V 29500 auto DV8-S QPSK 23,5<	236 V	2950	00 auto	** Ser	nding file "/hor fransfer wird ge	me/gx/local/ estartet	/enigma_d	b/satellit	es.xml" **							
26 H 27500 auto 10 H 27500 auto 50 V 22000 auto 94 H 22700 auto 31 H 22700 auto 93 H 27500 auto 91 V 29900 auto 92 V 29900 auto DVB-S QPSK 23,5 4909 3234 3 15019 5019 15400960 16 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 17 H 27500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 17 H 27500 auto DVB-S QPSK <	168 V	2200)0 auto	Trans	fer abgeschlos	sen ma/as/local	laninma d	h Americant	** "[mo [a]							
10 H 27500 auto 90 V 22000 auto 91 H 22000 auto 92 H 27500 auto 93 H 27500 auto 91 H 27500 auto 92 V 29900 auto 92 V 29900 auto 93 H 27500 auto 94 H 27500 auto 95 V 29900 auto 96 V 29500 auto 04 H 22000 auto 05 V 29500 auto 07 H 22000 auto 08 V 29500 auto 08 V 29500 auto 08 V 29500 auto 08 V 29500 auto 09 S QPSK 23,5 4909 323 1 5019 5019 15400960 16 V 29500 auto DVB-S QPSK 23,5 4909 324 3 2 8191 1333 15400960	226 H	2750	00 auto	FTP-T	fransfer wird ge	estartet	angind_d	or the relation	Section 1							
50 V 22000 auto 49 H 22000 auto 30 H 27500 auto 30 H 27500 auto 30 H 27500 auto 30 V 29900 auto 51 H 22000 auto 52 H 22	210 H	2750	00 auto	Trans ** Ser	ster abgeschlos nding file "/hor	sen me/gx/local;	/enigma_d	b/cables	xml" **							
H 22000 auto Verbindung wid getment. 03 H 27500 auto 09 V 2900 auto 07 H 22000 auto 07 H 27000 auto 07 H 27000 auto 07 H 27500 auto	150 V	2200	00 auto	FTP-T Trans	fransfer wird ge sfer abgeschlos	estartet										
03 H 27500 auto D9 V 29900 auto D9 V 29900 auto D1 H 22000 auto DVB-S QPSK 23,5 4909 3234 3 1 5019 5029 5019 15400960 DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 DVB-S QPSK 23,5 13153 3219 3 2 8191 8191 3333 15400960	149 H	2200	00 auto	Verbi	indung wird ge	etrenat.										
03 H 27500 auto D9 V 29900 auto D7 H 22000 auto 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 1 5019 5029 5019 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 7 H 27500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 3333 15400960	203 H	2750	00 auto	Verbi	indung getren:	nt.										4
N 29900 auto D9 Reload settings on Dreambox Restart Enigma2 Back 51 H 22000 auto DVB-S QPSK 23,5 4909 32,34 3 1 5019 5019 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 32,34 3 25 8191 1 5040960 70 H 27500 auto DVB-S QPSK 23,5 4319 3 2 8191 8191 0 15400960	203 H	2750	00 auto				-				- î					
Ops V 29900 auto Dreambox Restart Enigma2 Back 51 H 22000 auto DVB-S QPSK 23,5 4909 3234 3 1 5019 5029 5019 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 7 H 27500 auto DVB-S QPSK 23,5 13153 3219 3 2 8191 8191 3333 15400960	209 V	2990	00 auto	De	load cettin	nor or					-				<u></u>	
51 H 22000 auto 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 1 5019 5019 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 0 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 7 H 27500 auto DVB-S QPSK 23,5 13153 3219 3 2 8191 3333 15400960	209 V	2990	00 auto	Re	Dreamb	ox		Rest	art Enig	ma2						Back
36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 1 5019 5029 5019 15400960 36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 17 H 27500 auto DVB-S QPSK 23,5 13153 3219 3 2 8191 8191 3333 15400960	251 H	2200	00 auto												15	
36 V 29500 auto DVB-S QPSK 23,5 4909 3234 3 25 8191 8191 0 15400960 17 H 27500 auto DVB-S QPSK 23,5 13153 3219 3 2 8191 8191 3333 15400960	236 V	2950	00 auto	DVB-S	QPSK	23,5	4909	3234	3	1	5019	5029	5019	15400960		
77 H 27500 auto DVB-S QPSK 23,5 13153 3219 3 2 8191 8191 3333 15400960	236 V	2950	00 auto	DVB-S	QPSK	23,5	4909	3234	3	25	8191	8191	0	15400960		
	207 H	2750	0 auto	DVB-S	QPSK	23,5	13153	3219	3	2	8191	8191	3333	15400960		

4. Pomocou DO reštartujte prijímač